

# WALL PLUS 10


## PELLET AIR PLUS - Pellet stoves

# CADEL

Certificate model name : WALL <sup>3</sup> PLUS



Nominal power	kW	10
Reduced power	kW	3
Introduced thermal power (max)	kW	11
Nominal water useful power	kW	-
Reduced water useful power	kW	-
Nominal efficiency	%	91
Reduced efficiency	%	94,5
Heating volume (min-max)	m <sup>3</sup>	72 - 240
Nominal CO at 13% O <sub>2</sub>	%	0,0095
Reduced CO at 13% O <sub>2</sub>	%	0,0139
Emissions CO (13% O <sub>2</sub> ) (min-max)	mg/Nm <sup>3</sup>	174 - 119
Emissions OGC (13% O <sub>2</sub> ) (min-max)	mg/Nm <sup>3</sup>	5,0 - 4,0
Emissions NOX (13% O <sub>2</sub> ) (min-max)	mg/Nm <sup>3</sup>	108 - 104
Dust content at 13% O <sub>2</sub> (min-max)	mg/Nm <sup>3</sup>	10 - 17
Boiler capacity (H <sub>2</sub> O)	l	-
Hopper capacity	kg	15
Combustible		Pellet ø6
Hourly consumption (min-max)	kg/h	0,66 - 2,24
Autonomy (min-max)	h	6,7 - 22,7
Ignition electrical absorption (max)	W	340
Operating electrical absorption (max)	W	85,2
Supply and frequency	V - Hz	230 - 50
Chimney flue depression	Pa	10
Exhaust diameter	mm	80
Combustion air inlet diameter	mm	60
Mass of smoke (min-max)	g/sec	2,5 - 5,6
Exhaust fumes temperature (max)	°C	215
Net weight	kg	103
Gross weight	kg	121
Exhaust fumes	see	A
Hole combustion air inlet	see	B
Ducting outlet	see	C
Ducting capability up to	m	6




### MATCH

7017532	NEUTRAL STRUCTURE	EAN 8053859014386
6913025	White steel	EAN 8033123612876
6913024	Red steel	EAN 8033123612883

### PLUS

	Cast iron burning pot		Sealed chamber		Duction with 1 independent motor
	Aluminium Auger		Connection to the room thermostat		Comfort mode
	Upper, back and lateral exhaust		Integrated Wi-Fi		Daily weekly programming
	Bluetooth				


### STOVE PACKING



L (cm)	H (cm)	P (cm)
120	54,6	100


VOLUME (m <sup>3</sup> )
0,66

### LINING PACKING



	L (cm)	H (cm)	P (cm)
steel	37,6	10	98,5
majolica	37,6	10	98,5

### STOCKING



### TRANSPORT

